



A Polyhydron Group Company

MULTI-STATION BAR MANIFOLD FOR MOUNTING FOUR-PORT VALVES HAVING INTERFACE CONFORMING TO ISO 4401-03-02

Ref. No. D 03877
Release 11/2014


ENGINEERING - 1 of 2

Description

These Bar Manifolds are designed to connect valves having interface conforming to ISO 4401-03-02 in parallel in least possible physical space.


These Manifolds connect all P ports of the interface to a common passage generously sized for least possible pressure drop. So also the T ports.

The maximum number of interfaces available on manifold bar are 10.




Unit dimensions

Dimensions in mm.



Hydraulic symbol



Material : Alluminium Alloy (Max. Pressure 315 bar)

No. of stations	1	2	3	4	5	6	7	8	9	10
Model no.	1P02155/1-10	1P02155/2-10	1P02155/3-10	1P02155/4-10	1P02155/5-10	1P02155/6-10	1P02155/7-10	1P02155/8-10	1P02155/9-10	1P02155/10-1C
A	70	120	170	220	270	320	370	420	470	520
B	58	108	158	208	258	308	358	408	458	508
C	40	90	140	190	240	290	340	390	440	490

polyhydron pvt. ltd.

78-80, Machhe Industrial Estate,
Machhe, Belgaum - 590 014. INDIA.

Phone : +91-(0)831- 2411001
Fax : +91-(0)831- 2411002
E-mail : polyhydron@gmail.com
Website : www.polyhydron.com



Ordering code

